



Ashford BUNGALOW

2 BEDROOMS & 2.5 BATHROOMS | OPT. LOFT
ELEV. A: 2151 SQ FT | ELEV. B: 2153 SQ FT | ELEV. C: 2151 SQ FT

Ashford BUNGALOW

2 BEDROOMS & 2.5 BATHROOMS | OPT. LOFT

ELEV. A: 2151 SQ FT | ELEV. B: 2153 SQ FT | ELEV. C: 2151 SQ FT

SQ FT INCLUDES 215 SQ FT FOR FINISHED BASEMENT FOYER





(ADDITIONAL 1322 (ELEV.A), 1324 (ELEV.B) 1322 (ELEV.C) SQ FT FOR OPTIONAL FINISHED BASEMENT)

WITH OPTIONAL LOFT - ELEV. A: 2775 SQ FT | ELEV. B: 2777 SQ FT | ELEV. C: 2775 SQ FT



Ashford







ELEV. A: 2151 SQ FT | ELEV. B: 2153 SQ FT | ELEV. C: 2151 SQ FT
 SQ FT INCLUDES 215 SQ FT FOR FINISHED BASEMENT FOYER
 (ADDITIONAL 1322 (ELEV.A), 1324 (ELEV.B) 1322 (ELEV.C) SQ FT FOR OPTIONAL FINISHED BASEMENT)
 WITH OPTIONAL LOFT - ELEV. A: 2775 SQ FT | ELEV. B: 2777 SQ FT | ELEV. C: 2775 SQ FT



All illustrations are artist's concept. Specifications and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. Tile patterns may vary. Window size and location may vary. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. Please see Sales for details. Materials, suppliers and upgrades may vary by builder. E.&O.E. 4507

Ashford

ELEV. A: 2151 SQ FT | ELEV. B: 2153 SQ FT | ELEV. C: 2151 SQ FT
 SQ FT INCLUDES 215 SQ FT FOR FINISHED BASEMENT FOYER
 (ADDITIONAL 1322 (ELEV.A), 1324 (ELEV.B) 1322 (ELEV.C) SQ FT FOR OPTIONAL FINISHED BASEMENT)
 WITH OPTIONAL LOFT - ELEV. A: 2775 SQ FT | ELEV. B: 2777 SQ FT | ELEV. C: 2775 SQ FT



All illustrations are artist's concept. Specifications and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. Tile patterns may vary. Window size and location may vary. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. Please see Sales for details. Materials, suppliers and upgrades may vary by builder. E.&O.E. 4507

Let's get you home

905.833.0883 / KINGSCALLING.CA

Fernbrook
HOMES

ZANCOR
HOMES